

WORKMASTER®

WE FIND A WAY — OR MAKE ONE!



GO-M04

HOPPER CAR GATE OPENER



ChicagoVibratorProducts
Flow and Compaction

1-800-842-7284
1-360-920-9411 Outside US & Canada
www.chicagovibrator.com
Solutions@chivib.com

GO-M04

HOPPER CAR GATE OPENER

WORKMASTER
WE FIND A WAY — OR MAKE ONE!



The **GO-M04** is a manual-powered, hand-portable, compact Gate Opener that utilizes a 1-1/2" sq dr, extreme-duty, ratchet wrench to enable an operator to generate a no torque-reaction power output of 400 lb-ft with its standard 30" handle. The GO-M04's ratchet mechanism can accept up to 5,000 lb-ft of input torque so the handle can be lengthened using a heavy walled 2" ID pipe to increase the GO-M04's "breaker bar" power. Because the GO-M04 uses a 4-sided, tapered drive fitting to turn the capstan, the dangerous slippage problem that occurs using a pry bar is eliminated. The GO-M04 is the ideal Gate Opener when budget is limited and railcar unloading is infrequent.

THE GO-M04

THE GO-M04 GENERATES AN OPERATOR-PACED OUTPUT OF 400 LB-FT WHICH CAN BE INCREASED 10X WITH AN HD PIPE EXTENSION.

SIMPLE DESIGN

Simple Forward/Reverse Level Switch.

CAPSTAN DRIVE FITTING

Precision-machined, 4140 tool steel, 1-piece construction with 1-1/2" sq socket using pin & ring retainer, opens hundreds of gates!

HEAVY-DUTY RATCHET

Heavy-Duty Ratchet capable of producing up to 5,000 lb-ft.

LIGHTWEIGHT PORTABILITY

Weighs only 23 lbs.

LOW INPUT TORQUE

Tapered handle allows easy mounting of extension handle for greater torque output.

GO-M04

HOPPER CAR GATE OPENER

SPECIFICATIONS

MODEL	GO-M04 Portable Gate Opener
POWER	Manual; Ratchet Wrench
WORKING TORQUE	400 lb-ft w/ 36" Lever; Torque can be increased w/ HD Pipe Extensions
DIMENSIONS	36"L x 3.75"W x 1.38"D
HEIGHT ADJUSTMENT	Lift-on portability to accommodate any Capstan height
FINISH COATING	Black Oxide
INCLUDED	(1) Drive Fitting w/ Pin and Ring Retainer; (1) HD Carrying Case; (1) Manual
GATE OPENER WEIGHT	23 lbs
SHIPPING WEIGHT	34 lbs

Workmaster® line of Hopper Car Unloading Products

ranging from our wide selection of gate openers and railcar vibrators to our railcar pocket-to-undertrack-conveyor connectors, offers total solutions to the vexing problems of unloading hopper cars.



SMOOTH, CONTINUOUS FORCE

To facilitate steady, controlled gate opening without concern for wear of gate mechanism.

ECONOMICAL TO PURCHASE

To meet even the tightest budget when a lightweight, portable Gate Opener is required.

LIGHTWEIGHT PORTABILITY

To enable one worker to easily carry and position this 23 lb powerhouse and thereby improve safety, increase productivity, and reduce manpower planning.

VIRTUALLY NOISELESS OPERATION

To accommodate noise restrictions at plant or unloading site operations.

BLACK OXIDIZED FINISH

To reduce rust and corrosion in harsh environments.

NON-IMPACTING

To eliminate vibration which makes the Opener comfortable and safe to use.

STURDY CARRYING BAG

To allow convenient storage, and easy transport to/from the unloading site.



WORKMASTER®

WE FIND A WAY — OR MAKE ONE!

WORKMASTER® is a manufacturer of labor savings bulk material handling tools to help safely and efficiently unload, transport, store and process bulk solids from hopper bottom railcars, bulk trailers, bins, silos and chutes. To help Customers gain maximum benefit from our bulk materials handling tools and equipment, we also supply a complete line of operating, mounting, and maintenance products and accessories, such as Timers and Motor Controls, Vibrator Mounts, and Lubricating Oils to help keep your unloading site tools running longer and more efficiently. WORKMASTER products help Customers work more safely and efficiently, increase the lifespan of production-critical equipment, and decrease operating and maintenance costs of tools and equipment used in some of Industry's most dangerous, difficult, and dirty jobs.



Distributed by:



ChicagoVibratorProducts
Flow and Compaction

Division of CVP Group
1-800-842-7284 (P)
1-866-247-7538 (F)
www.chicagovibrator.com
Solutions@chivib.com